

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to

~~comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.~~

PRODUCT NUMBER: HB-252

IDENTITY: GRIME BUSTER

Revision Date: 02/05/05

=====

Section I

Manufacturer's Name: H&B Industries, Inc. Telephone Numbers:

Address: 9758 Abernathy Ave. Emergency:

Dallas, TX 75220 800/535/5053

Information:

800/466/0855

HMS CODES: REACTIVITY: 1 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the

~~ingredients contained in this product are listed on the TSCA inventory.~~)

Name Cas No. OSHA PEL ACGIH TLV OTHER LIM a

Comment :

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT

TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-

KNOW ACT OF 1986 AND OF 40CFR372.

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER	LIM	a
2-BUTOXY ETHANOL	*	111-76-2	25 PPM	25 PPM	N/A	_____
L.P.G.		68476-85-7	1000 PPM	1000 PPM	N/A	_____
_____		_____	_____	_____	_____	_____
_____		_____	_____	_____	_____	_____
_____		_____	_____	_____	_____	_____

Section III• PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:	212 +	Specific Gravity	(water=1)	1.00
Vapor Pressure(mm Hg)	46PSI	Melting Point:		N/A
Vapor Density(AIR=1)	N/A	Evaporation Rate:		<1
Solubility in Water:	100a	(Butyl Acetate=1)		
Appearance and Odor:	WHITE FOAM, MILD LEMON ODOR			

Section IV: FIRE AND EXPLOSION HAZARD DATA

-----Flash

Point (Method Used):NONE Flammable Limits: LEL:N/A UEL: N/A

Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER Special Fire Fighting Procedures: WEAR

SELF CONTAINED BREATHING APPARATUS WHEN INDICATED

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO

TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING

=====
Stability: Unstable: Conditions to avoid:
 Stable: X TEMPERATURES ABOVE 120 F
Incompatibility (Materials to Avoid): NONE

Hazardous Decomposition or Byproducts: NONE

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

=====
Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards (Acute and Chronic):
INHALATION: EXCESSIVE INHALATION MAY CAUSE SLIGHT DIZZINESS. EYES: IRRITATION AND
REDDENING. SKIN: SLIGHT IRRITATION

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH
WITH RUNNING WATER FOR 15 MINUTES. SKIN: WASH COMPLETELY WITH RUNNING WATER. IF
IRRITATION PERSISTS, CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====
Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH RAG OR USE AN
ABSORBENT CLAY MATERIAL OR TOWEL. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL GUIDELINES

Waste Disposal Method: DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT REUSE
EMPTY CONTAINER. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.

Precautions to be Taken in Handling and Storing: DO NOT USE OR STORE NEAR HEAT OR
OPEN FLAME. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Other Precautions: NONE

=====
Respiratory Protection: N/A
Ventilation: Local Exhaust:N/A

Section VIII: CONTROL MEASURES

Mechanical: N/A Special: N/A Other: N/A

Protective Gloves:N/A

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED. Other

Protective Clothing or Equipment: N/A

Work/Hygienic Practices: N/A