

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174) - May be used to
comply with OSRA'S Hazard Communication Standard, 29 CFR 1910,1200.
=====

PRODUCT NUMBER : HB-40
IDENTITY' Mechanic's Friend

Revision Date: 02/05/05
=====

Section I

Manufacturer's Name: H & B Industries,
Address: 9758 Abernathy Ave.
Dallas, TX 75220

Telephone Numbers:
Emergency:
800/535/5053
Information:
800/406/055

HMIS CODES: REACTIVITY: 7 FLAMMABILITY: 0 HEALTH: 2 PERSONAL PROTECT: 1

Section I: HAZARDOUS INGR7DIENTS/IDENTITv INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)

Table with 6 columns: Name, Cas: No, OSHA PEL, ACGIH TDV, OTHER LIM, %. Rows include CARBON DIOXIDE and TETRACHLOROETHYLENE.

Empty table structure with 6 columns: Name, Cas: No, OSHA PEL, ACGIH TDV, OTHER LIM, %.

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN \* SUBJECT
TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING
AND COMMUNITY, RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

THIS PRODUCT CONTAINS CHEMICAL(S) MARKED WITH A \* KNOWN TO THE STATE OF
CALIFORNIA TO CAUSE CANCER.

Section III, PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 250 Specific Gravity (water=1) 1.60
Vapor Pressure (mm Hg) 15 melting Point: N/A
Vapor Density (AXR-1) 1 Evaporation Rate:
Solubility in Water: 0% (Butyl Acetate=1)
Appearance and Odor: CLEAR SPRAY, TYPICAL CHLORINATED SOLVENT ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): NONE Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: CO2
Special Fire Fighting Procedures: NONE

Unusual Fire and Exposure Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO
TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT NUMBER: HB-40

Stability: Unstable. Conditions to avoid:  
Stable: X TRMPERATURES ABOVE 120<sup>0</sup>F  
Incompatibility (Materials to Avoid): SOME PLASTICS  
Hazardous Decomposition or Byproducts: NONE  
Hazardous Polymerization: May Occur: Will Not Occur, X  
Conditions To Avoid: NONE

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO  
Health Hazards(Acute and Chronic):  
INHALATION: DIZZINESS. EXCESSIVE INHALATION MAY LEAD TO UNCONSCIOUSNESS.  
EYES: STRONG IRRITATION. SKIN: MILD IRRITATION. MAY CAUSE DEFATTING OF TISSUE.  
Carcinogenicity: NTP: YES IARC Monographs: Yes OSHA Reg: Yes  
Signs and Symptom of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: EXCESSIVE EXPOSURE WILL  
AGRIVATE RESPIRATORY. CARDIOVASCUNAR OR PULMONARY ILLNESSES .

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. CONSULT  
PHSYCIAN. SKIN: WASH WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION  
PERSISTS.

Section VII: PRECAUTIONS FOR SAFE RANDEING AND USE

Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH RAG OR USE  
SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL,  
STATE AND LOCAL GUIDELINES. DC) NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT  
REUSE CONTAINER. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.

Precautions to be Taken in Handling and Storing: DO NOT USE OR STORE NEAR HEAT OR  
OPEN FLAMES. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.  
Other Precautions: NONE

Section VIII: CONTROL MEASURES

Respiratory Protection, USE ONLY IN WELL VENTILATED AREA.  
Ventilation: Local Exhaust: xx  
Mechanical: N/A  
Special: N/A  
Other: N/A  
Protective Gloves: N/A  
Eye Protection: N/A  
Other Protective Clothing or Equipment: N/A  
work/Hygienic Practices: N/A