

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT NUMBER: HB-426
IDENTITY: STORMTROOPER FIRE ANT Revision Date: 02/05/05

Section I

Manufacturer's Name: H&B Industries, Inc. Telephone Numbers:
Address: 9758 Abernathy Ave. Emergency:
Dallas, TX 75220 Information:
800/466/5053
800/466/0844

MIS CODES: REACTIVITY: 1 FLAMMABILITY: 1 HEALTH: 2 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients
contained in this product are listed on the TSCA inventory.)
=====

Name Cas No. OSHA PEL ACGIH TLV OTHER LIM %

Table with 5 columns: Name, Cas No., OSHA PEL, ACGIH TLV, OTHER LIM %. Rows include ISOPARAFINIC HYDROCARBON and PROPANE/N-BUTANE.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS
=====

Boiling Point: N/A Specific Gravity (water=1) 0.97
Vapor Pressure(mm Hg) >780 Melting Point: N/A
Vapor Density(AIR=1) >1 Evaporation Rate: >1
Solubility in Water: 100% (Butyl Acetate=1)
Appearance and Odor: WHITE FOAM SPRAY, MILD ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA
=====

Flash Point(Method Used):>200F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER Special Fire Fighting
Procedures: SELF CONTAINED BREATHING APPARATUS IS RECOMMENDED IF FIGHTING FIRES WHERE
THIS MATERIAL MAY BE IGNITED.

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES
ABOVE 120 F MAY CAUSE BURSTING. CONTAINS A FLAMMABLE PROPELLENT

Section V: REACTIVITY DATA

HB- 426

=====
Stability: Unstable: Conditions to avoid: TEMPERATURES ABOVE 120 F
 Stable: X

Incompatibility (Materials to Avoid): STRONG OXIDIZERS, ALKALIES, ACIDS

Hazardous Decomposition or Byproducts: NONE KNOWN

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

=====
Routes of Entry: Inhalation: YES Skin: YES Ingestion:NO
Health Hazards(Acute and Chronic):
INHALATION: DIZZINESS. EYES: IRRITATION. SKIN: SLIGHT IRRITATION AND LOCALIZED
DEFATTING.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO Signs
and Symptoms of Exposure: INHALATION: DIZZINESS. EYES: IRRITATION. SKIN: SLIGHT
IRRITATION AND LOCALIZED DEFATTING.

Medical Conditions Generally Aggravated by Exposure: NONE

Emergency and First Aid Procedures: EYES: FLUSH WITH WATER - SEE PHYSICIAN. SKIN:
WASH WITH SOAP AND WATER. INALATION: REMOVE TO FRESH AIR.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====
Steps to be Taken in Case Material is Released or Spilled: MOP OR WIPE UP SPILL. DISPOSE
OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: WRAP CONTAINER AND PLACE IN TRASH COLLECTION. DO NOT
PUNCTURE OR INCINERATE CONTAINER.

Precautions to be Taken in Handling and Storing: STORE IN A COOL, DRY AREA. KEEP
AWAY FROM HEAT, FLAMES OR SPARKS.

Other Precautions: N/A

Section VIII: CONTROL MEASURES

=====
Respiratory Protection: N/A
Ventilation: Local Exhaust:ADEQUATE
Mechanical: NA/ Special: N/A Other: N/A
Protective Gloves:N/A
Eye Protection: SAFETY GOGGLES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED. Other
Protective Clothing or Equipment:
N/A
Work/Hygienic Practices:
WASH HANDS AFTER USE