

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT NUMBER: HB-44
IDENTITY: Chain & Cable Lubricant
Revision Date: 02/05/05
=====

Section I

Manufacturer's Name: H&B Industries, Inc. Telephone Numbers:
Address: 9758 Abernathy Ave. Emergency:
Dallas, TX 75220 800/535/5053
Information:
800/466/0855
=====

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 2 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)
=====

Table with 5 columns: Name, Cas No., OSHA PEL, ACGIH TLV, OTHER LIM. Rows include HYDROTREATED NAPHTH. DIST, NAPHTHENIC PETROLEUM DIST, and PROPANE/N-BUTANE.

Table with 4 columns: Section IV: FIRE AND EXPLOSION HAZARD DATA, values, Specific Gravity, Melting Point, Evaporation Rate. Includes values like 500+, .01, 1, 0.90, N/A, .1.

Appearance and Odor: GRAY-BLACK LIQUID, MILD SOLVENT ODOR
Flash Point(Method Used):+200F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: C02, FOAM, WATER, DRY CHEMICAL

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS
Boiling Point:
Vapor Pressure(mm Hg)
Vapor Density(AIR=1)
Solubility in Water:

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. FLAMMABLE. EXPOSURE TO
TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

=====
Stability: Unstable: Conditions to avoid:
 Stable: X TEMPERATURES ABOVE 120 F
Incompatibility (Materials to Avoid): NONE

Hazardous Decomposition or Byproducts: NONE

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: N/A

Section VI: HEALTH HAZARD DATA

=====
Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards (Acute and Chronic):
INHALATION: DIZZINESS. INGESTION: NAUSEA, SICKNESS. EYES: IRRITATION.
SKIN: MAY CAUSE LOCALIZED DRYNESS.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INGESTION: DO NOT INDUCE VOMITING CONTACT
PHYSICIAN IMMEDIATELY. EYES: FLUSH WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN IF
IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR. CONSULT PHYSICIAN IF NEEDED.
SKIN: WASH EFFECTED AREA WITH SOAP AND WATER.

=====
Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: RAG OR USE SOME ABSORBENT
CLAY MATERIAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL GUIDELINES. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.

Precautions to be Taken in Handling and Storing: DO NOT PUNCTURE OR
INCINERATE CONTAINER. DO NOT REUSE CONTAINER.

Section VIII: CONTROL MEASURES

Other Precautions: DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.
EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

=====
Respiratory Protection: USE ONLY IN WELL VENTILATED AREA. Ventilation: Local
Exhaust: XX
Mechanical: N/A Special: N/A Other: N/A
Protective Gloves: N/A
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED, Other
Protective Clothing or Equipment: N/A
Work/Hygienic Practices: N/A