

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT NUMBER: 500

IDENTITY: D-GREAZE

Revision Date: 12/23/2003

Section I

Manufacturer's Name:QUEST CHEMICAL CORPORATION
Address: 12255 FM 529
NORTHWOODS INDUSTRIAL PARK
HOUSTON
State: TX Zip Code:77041

Telephone Numbers:
Emergency:
800/255-3924
Information:
713/8968188

HMS CODES: REACTIVITY: 1 FLAMMABILITY: 2 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)

Table with 6 columns: Name, Cas No., OSHA PEL, ACGIH TLV, OTHER LIM, %. Rows include 1,8-P-MENTHADIENE, CARBON DIOXIDE, ISOPARAFINIC HYDROCARBON, and PROPANE.

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT
TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING
AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 352 F Specific Gravity (water=1) 0.85
Vapor Pressure(mm Hg) 2 Melting Point: N/A
Vapor Density(AIR=1) 4.7 Evaporation Rate: < 1
Solubility in Water: SLIGHT (Butyl Acetate=1)
Appearance and Odor: CLEAR WATER WHITE LIQUID, CITRUS ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):122F TCC Flammable Limits: LEL:.7 UEL: 6.1
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: CLASS B FIRE PROCEDURES

Unusual Fire and Explosion Hazards: COMBUSTIBLE LIQUID. KEEP AWAY FROM HEAT,
SPARKS, AND OPEN FLAMES.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 500

=====
Stability: Unstable: Conditions to avoid: NONE KNOWN
 Stable: X
Incompatibility (Materials to Avoid): STRONG OXIDIZING AGENTS

Hazardous Decomposition or Byproducts: NONE

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

=====
Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards(Acute and Chronic):
INHALATION: EXCESSIVE EXPOSURE CAN CAUSE DIZZINESS. SKIN & EYES: WILL DEFAT
AND IRRITATE EYES AND SKIN. INGESTION: WILL CAUSE NAUSEA AND/OR DIARRHEA.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE VICTIM TO FRESH AIR
SKIN: RINSE WITH SOAP AND WATER. EYES: RINSE WITH WATER FOR 15 MINUTES.
INGESTION: GIVE SMALL GLASS OF WATER OR MILK. DO NOT INDUCE VOMITING. SEE
PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====
Steps to be Taken in Case Material is Released or Spilled: REMOVE ANY
SOURCE OF HEAT, FLAME, OR SPARKS. EVACUTE AFFECTED AREA. MOP UP WITH
APPROPRIATE ABSORBENT MATERIAL. AVOID BREATHING FUMES VENTILATE AREA.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL REGULATIONS.

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT,
SPARKS AND FLAME. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION.
STORE IN ACCORDANCE WITH NEPA, STATE AND LOCAL GUIDELINES.
Other Precautions: AVOID PROLONGED OR REPEATED INHALATION OF MIST OR VAPOR
AND CONTACT WITH SKIN.

Section VIII: CONTROL MEASURES

=====
Respiratory Protection: NOISH APPROVED RESPIRATOR PROTECTION IF NEEDED.
Ventilation: Local Exhaust:SUFFICIENT
Mechanical: N/A Special: N/A
Other: N/A
Protective Gloves:N/A
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.
Other Protective Clothing or Equipment:
N/A
Work/Hygienic Practices:
N/A