

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT NUMBER: HB-70
IDENTITY: Belt Dressing

Revision Date: 02/05/05

Section I

Manufacturer's Name: H & B Industries, Inc.
Address: 9758 Abernathy Ave.
Dallas, TX 75220

Telephone Numbers:
Emergency: 800/535/5053
Information: 800/466/0855

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 4 HEALTH: 2 PERSONAL PROTECT: 2

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Case No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
L.P.G.	68476-85-7	1000 PPM		1000 PPM	N/A
PETROLEUM NAPHTHA VM & P	64742-89-8	500 PPM		300 PPM	N/A

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 273 Specific Gravity (water=1) 0.78
Vapor Pressure (mm Hg) 2.0 Melting Point: N/A
Vapor Density (AIR=1) > 1 Evaporation Rate: 0.45
Solubility in Water: 0% (Butyl Acetate=1)
Appearance and Odor: CLEAR SPRAY, PERTOLEUM ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 58 F TCC Flammable Limits: LEL: 1.1 UEL: 5.0
Extinguishing Media: CO2,
Special Fire Fighting Procedures: NONE

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING. MAY DEVELOP A FLAMMABLE ATMOSPHERE IN CONFINED AREAS.

Section V: REACTIVITY DATA

PRODUCT NUMBER: HB-70 -----

Stability: Unstable: Conditions to avoid:
 Stable: X TEMPERATURES ABOVE 120 F, HOT SURFACES
Incompatibility (Materials to Avoid): NONE KNOWN

Hazardous Decomposition or Byproducts: EXPOSURE TO RED HOT SURFACES MAY CAUSE THE FORMATION OF CARBON MONOXIDE.
Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO
Health Hazards(Acute and Chronic):
INHALATION: DIZZINESS. EXCESSIVE EXPOSURE MAY LEAD TO UNCONSCIOUSNESS.
EYES: STRONG IRRITATION. SKIN: MILD IRRITATION. MAY CAUSE LOCALIZED DEFATTING_
Carcinogenicity: NTP:NO IARC Monographs: NO OSHA Reg: NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: EXCESSIVE EXPOSURE WILL AGGRAVATE RESPIRATORY, PULMONARY OR CARDIOVASCULAR ILLNESSES.

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. CONSULT PHYSICIAN. EYES: FLUSH WITH WATER FOR 10-15 MINUTES. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH RAG OR USE SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES. DO NOT PUNCTURE OR INCINERATE CONTAINER.

Precautions to be Taken in Handling and Storing: DO NOT REUSE CONTAINER. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.

Other Precautions: DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING. VAPOR MAY COLLECT IN LOW LYING AREAS.

Section VIII: CONTROL MEASURES

Respiratory Protection: USE ONLY IN WELL VENTILATED AREA.

Ventilation: Local Exhaust: XX

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: YES

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.

Other Protective Clothing or Equipment:

N/A

Work/Hygienic Practices:

N/A