

# SAFETY DATA SHEET

SDS ID NO.: HB-1106  
Revision Date: 01/24/2023

HB-1106 DURAFILM Motor Oil

## 1. IDENTIFICATION

**Product Name:** HB-1106 DURAFILM Motor Oil--All Weights

**Synonym:** Motor Oil, Heavy Duty Motor Oil  
**Chemical Family:** Motor Oil/Lube Oil

**Recommended Use:** Engine Oil.  
**Use Restrictions:** All others.

**Supplier Name and Address:**  
H&B Industries, Inc.  
9758 Abernathy Ave.  
Dallas, TX 75220

**SDS information:** 214-350-1984

**Emergency Telephone:** 1-800-535-5053

## 2. HAZARD IDENTIFICATION

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 2A

#### Hazards Not Otherwise Classified (HNOC)

Not applicable

### Label elements

#### EMERGENCY OVERVIEW

#### Warning

Causes serious eye irritation



**Appearance** Brown Liquid

**Physical State** Liquid

**Odor** Petroleum

**Precautionary Statements - Prevention**

Wash hands and any possibly exposed skin thoroughly after handling  
Wear eye/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical attention

**Precautionary Statements - Storage**

Not applicable

**Precautionary Statements - Disposal**

Not applicable

**Additional Information**

Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Motor oil is a complex mixture of highly refined lubricating oil base stocks and additives.

**Composition Information:**

| Name  | CAS Number  | Weight % |
|---|-------------|----------|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isoocetyl) esters, zinc salts              | 113706-15-3 | 1-5      |
| Dinonyl diphenylamine   | 36878-20-3  | 1-5      |
| Butene, homopolymer   | 9003-29-6   | 1-5      |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs. | 84605-20-9  | 1-5      |

### 4. FIRST AID MEASURES

**First Aid Measures**

|                       |  |
|-----------------------|--|
| <b>General advice</b> | In case of accident or if you feel unwell, seek medical advice immediately (show directions for use or safety data sheet if possible).   |
| <b>Inhalation:</b>    | Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms occur get medical attention.   |
| <b>Skin Contact:</b>  | Wash skin with plenty of soap and water. If irritation or other symptoms occur get medical attention. Wash contaminated clothing and clean shoes before reuse.   |
| <b>Eye Contact:</b>   | Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Gently remove contacts while flushing. Get medical attention.  |
| <b>Ingestion:</b>     | Rinse mouth out with water. If spontaneous vomiting occurs, keep head below hips, or if patient is lying down, turn body and head to side to prevent aspiration and monitor for breathing difficulty. Never give anything by mouth to an unconscious person. Keep affected person warm and at rest. If symptoms develop, seek medical attention. |

**Most important signs and symptoms, both short-term and delayed with overexposure**

|                         |  |
|-------------------------|--|
| <b>Adverse Effects:</b> | Causes eye irritation. Symptoms may include redness, itching, and inflammation. May cause skin irritation and/or dermatitis. Preexisting skin conditions and/or respiratory disorders may be aggravated by exposure to this product. |
|-------------------------|--|

**Indication of any immediate medical attention and special treatment needed**

**NOTES TO PHYSICIAN:** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

For small fires, Class B fire extinguishing media such as CO<sub>2</sub>, dry chemical, foam (AFFF/ATC) or water spray can be used. For large fires, water spray, fog or foam (AFFF/ATC) can be used. Firefighting should be attempted only by those who are adequately trained and equipped with proper protective equipment.

**Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical**

The product is not combustible per the OSHA Hazard Communication Standard, but will ignite and burn at temperatures exceeding the flash point.

**Hazardous combustion products**

Smoke, carbon monoxide, and other products of incomplete combustion.

**Explosion data**

**Sensitivity to Mechanical Impact No.**

**Sensitivity to Static Discharge No.**

**Special protective equipment and precautions for firefighters**

Avoid using straight water streams. Water spray and foam (AFFF/ATC) must be applied carefully to avoid frothing and from as far a distance as possible. Avoid excessive water spray application. Use water spray to cool exposed surfaces from as far a distance as possible. Keep run-off water out of sewers and water sources.

**NFPA:**

Health 1

Flammability 1

Instability 0

Special Hazards -

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Keep public away. Isolate and evacuate area. Shut off source if safe to do so.

**Protective Equipment:** Use personal protection measures as recommended in Section 8.

**Emergency Procedures:** Advise authorities and National Response Center (800-424-8802) if the product has entered a water course or sewer. Notify local health and pollution control agencies, if appropriate.

**Environmental precautions:** Avoid release to the environment. Avoid subsoil penetration.

**Methods and materials for containment:** Prevent further leakage or spillage if safe to do so.

**Methods and materials for cleaning up:** Use suitable absorbent materials such as vermiculite, sand, or clay to clean up residual liquids. Recover and return free product to proper containers.

## 7. HANDLING AND STORAGE

**Safe Handling Precautions:** Avoid contact with skin, eyes and clothing. Do not swallow. Avoid breathing vapors or mists. Use good personal hygiene practices. Wash thoroughly after handling. Use personal protection measures as recommended in Section 8. Do not cut, drill, grind or weld on empty containers since explosive residues may remain. Refer to applicable EPA, OSHA, NFPA and consistent state and local requirements.

Lifetime, continuous skin contact with used motor oils has caused skin cancer in laboratory tests. In testing, thorough washing has been found to prevent the development of skin cancer from used motor oil exposure. Avoid excessive skin contact. Exercise good personal hygiene including the removal and washing of soiled clothing and destroy used motor oil contaminated leather shoes/boots.

**Storage Conditions:** Store in properly closed containers that are appropriately labeled and in a cool, well-ventilated area. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

| Name  | ACGIH TLV | OSHA PELs: | OSHA - Vacated PELs | NIOSH IDLH |
|---|-----------|------------|---------------------|------------|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isoocetyl) esters, zinc salts<br>113706-15-3             | -         | -          | -                   | -          |
| Dinonyl diphenylamine<br>36878-20-3   | -         | -          | -                   | -          |
| Butene, homopolymer<br>9003-29-6  | -         | -          | -                   | -          |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs.<br>84605-20-9 | -         | -          | -                   | -          |

**Notes:** The manufacturer has voluntarily elected to provide exposure limits contained in OSHA's 1989 air contaminants standard in its SDSs, even though certain of those exposure limits were vacated in 1992.

**Engineering measures:** Local or general exhaust required when using at elevated temperatures that generate vapors or mists.

**Personal protective equipment**

**Eye protection:** Use goggles or face-shield if the potential for splashing exists.

**Skin and body protection:** Wear neoprene, nitrile or PVA gloves to prevent skin contact. Glove suitability is based on workplace conditions and usage. Contact the glove manufacturer for specific advice on glove selection and breakthrough times. Wear appropriate protective clothing.

**Respiratory protection:** Use an approved organic vapor chemical cartridge or supplied air respirators when material produces vapors that exceed permissible exposure limits or excessive vapors are generated. Observe respirator assigned protection factors (APFs) criteria cited in federal OSHA 29 CFR 1910.134. Self-contained breathing apparatus should be used for fire fighting.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

|                |                    |
|----------------|--------------------|
| Physical State | Liquid             |
| Appearance     | Brown Liquid       |
| Color          | Brown              |
| Odor           | Petroleum          |
| Odor Threshold | No available data. |

| <b>Property</b>                       | <b>Values (Method)</b>                   |
|---------------------------------------|--|
| Melting Point / Freezing Point        | No available data.                       |
| Initial Boiling Point / Boiling Range | No available data.                       |
| Flash Point                           | > 220 °C / > 428 °F (Cleveland Open-Cup) |
| Evaporation Rate                      | No available data.                       |
| Flammability (solid, gas)             | Not applicable.                          |
| Flammability Limit in Air (%)         |  |
| Upper Flammability Limit:             | No available data.                       |
| Lower Flammability Limit:             | No available data.                       |
| Vapor Pressure                        | No available data.                       |
| Vapor Density                         | No available data.                       |
| Specific Gravity / Relative Density   | 0.86-0.875                               |
| Water Solubility                      | No available data.                       |
| Solubility in other solvents          | No available data.                       |
| Partition Coefficient                 | No available data.                       |
| Decomposition temperature:            | No available data.                       |
| pH:                                   | No available data.                       |
| Autoignition Temperature              | No available data.                       |
| Kinematic Viscosity                   | 82 mm <sup>2</sup> /s @ 40°C / 104°F     |
| Dynamic Viscosity                     | No available data.                       |
| Explosive Properties                  | No available data.                       |
| Softening Point                       | No available data.                       |
| VOC Content (%)                       | 1.7 (w/w)                                |
| Density                               | No available data.                       |
| Bulk Density                          | Not applicable.                          |

## 10. STABILITY AND REACTIVITY

|  |  |
|--|--|
| <b><u>Reactivity</u></b>                         | The product is non-reactive under normal conditions. |
| <b><u>Chemical stability</u></b>                 | Stable under recommended storage conditions.         |
| <b><u>Possibility of hazardous reactions</u></b> | None under normal processing.                        |
| <b><u>Hazardous polymerization</u></b>           | Will not occur.                                      |
| <b><u>Conditions to avoid</u></b>                | Sources of heat or ignition.                         |
| <b><u>Incompatible materials</u></b>             | Strong oxidizing agents.                             |
| <b><u>Hazardous decomposition products</u></b>   | None known under normal conditions of use.           |

## 11. TOXICOLOGICAL INFORMATION

**Potential short-term adverse effects from overexposures**

|                    |  |
|--------------------|--|
| <b>Inhalation</b>  | Overheating may produce vapors which may cause respiratory irritation, dizziness and nausea. |
| <b>Eye contact</b> | Irritating to eyes. May cause reddening and tearing.   |

**Skin contact** May cause skin irritation. Prolonged or repeated exposure may cause dermatitis, folliculitis or oil acne.

**Ingestion** May cause irritation of the mouth, throat and gastrointestinal tract.

**Acute Toxicological data**

| Name  | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|-----------|-------------|-----------------|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts<br>113706-15-3              | -         | -           | -               |
| Dinonyl diphenylamine<br>36878-20-3   | -         | -           | -               |
| Butene, homopolymer<br>9003-29-6  | -         | -           | -               |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs.<br>84605-20-9 | -         | -           | -               |

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

This product is considered to have a low order of acute and chronic oral and dermal toxicity.

USED MOTOR OIL: Lifetime, continuous skin contact with used motor oils has caused skin cancer in laboratory tests. The combustion process produces compounds (polycyclic aromatic hydrocarbons) in motor oils that increase with use and are responsible for the cancer induction. Thorough washing has been found to prevent the development of skin cancer on animals from used motor oil exposure.

ZDDP: Zinc dialkyldithiophosphate (ZDDP) additives are primarily eye and/or skin irritants or corrosives with low acute toxicity via oral, dermal, and inhalation routes of exposure and are not skin sensitizers. In laboratory repeat dose studies by the dermal and oral routes, ZDDPs cause effects only at high doses, primarily due to irritation, in a manner similar to other irritating materials. The weight-of- evidence of genotoxicity testing indicates that ZDDPs are not mutagenic and do not cause larger chromosomal effects.

**Adverse effects related to the physical, chemical and toxicological characteristics**

**Signs & Symptoms** Causes eye irritation. Symptoms may include redness, itching, and inflammation. Contact may cause skin dermatitis and/or irritation. Repeated or prolonged skin contact may cause drying, reddening, itching and cracking.

**Sensitization** Not expected to be a skin or respiratory sensitizer.

**Mutagenic effects** None known.

**Carcinogenicity** Cancer designations are listed in the table below.

| Name   | ACGIH (Class) | IARC (Class) | NTP        | OSHA       |
|--|---------------|--------------|------------|------------|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts<br>113706-15-3 | Not Listed    | Not Listed   | Not Listed | Not Listed |
| Dinonyl diphenylamine<br>36878-20-3  | Not Listed    | Not Listed   | Not Listed | Not Listed |
| Butene, homopolymer<br>9003-29-6   | Not Listed    | Not Listed   | Not Listed | Not Listed |

|  |            |            |            |            |
|--|------------|------------|------------|------------|
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs. 84605-20-9 | Not Listed | Not Listed | Not Listed | Not Listed |
|--|------------|------------|------------|------------|

**Reproductive toxicity** None known.

**Specific Target Organ Toxicity (STOT) - single exposure** Not classified.

**Specific Target Organ Toxicity (STOT) - repeated exposure** Not classified.

**Aspiration hazard** Not classified.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Used motor and/or lube oils can be toxic to birds and fish.

| Name   | Algae/aquatic plants | Fish | Toxicity to Microorganisms | Crustacea |
|--|----------------------|------|----------------------------|-----------|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts 113706-15-3              | -                    | -    | -                          | -         |
| Dinonyl diphenylamine 36878-20-3   | -                    | -    | -                          | -         |
| Butene, homopolymer 9003-29-6  | -                    | -    | -                          | -         |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs. 84605-20-9 | -                    | -    | -                          | -         |

**Persistence and degradability** Not expected to be readily biodegradable.

**Bioaccumulation** Contains component(s) with the potential to bioaccumulate.

**Mobility in soil** No information available.

**Other adverse effects** No information available.

**13. DISPOSAL CONSIDERATIONS**

**Description of Waste Residues**  
No information available.

**Safe Handling of Wastes**  
Handle in accordance with applicable local, state, and federal regulations. Use personal protection measures as required.

**Disposal of Wastes / Methods of Disposal**  
The user is responsible for determining if any discarded material is a hazardous waste (40 CFR 262.11). Dispose of in accordance with federal, state and local regulations.

**Methods of Contaminated Packaging Disposal**  
Empty containers should be completely drained and then discarded or recycled, if possible. Do not cut, drill, grind or weld on empty containers since explosive residues may be present. Dispose of in accordance with federal, state and local regulations.

**14. TRANSPORT INFORMATION**

**DOT (49 CFR 172.101):**  
**UN Proper shipping name:** Not Regulated  
**UN/Identification No:** Not applicable  
**Transport Hazard Class(es):** Not applicable  
**Packing group:** Not applicable

**TDG (Canada):**  
**UN Proper shipping name:** Not Regulated  
**UN/Identification No:** Not applicable  
**Transport Hazard Class(es):** Not applicable  
**Packing group:** Not applicable

**15. REGULATORY INFORMATION**

**US Federal Regulatory Information:**

US TSCA Chemical Inventory Section 8(b): This product and/or its components are listed on the TSCA Chemical Inventory.

**EPA Superfund Amendment & Reauthorization Act (SARA):**

**SARA Section 302:** This product may contain component(s) that have been listed on EPA's Extremely Hazardous Substance (EHS) List:

| Name  | CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs |
|---|---|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts               | NA  |
| Dinonyl diphenylamine   | NA  |
| Butene, homopolymer   | NA  |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs. | NA  |

**SARA Section 304:** This product may contain component(s) identified either as an EHS or a CERCLA Hazardous substance which in case of a spill or release may be subject to SARA reporting requirements:

| Name  | CERCLA/SARA - Hazardous Substances and their Reportable Quantities |
|---|--|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts               | NA   |
| Dinonyl diphenylamine   | NA   |
| Butene, homopolymer   | NA   |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs. | NA   |

**SARA:** The following EPA hazard categories apply to this product:

Acute Health Hazard

**SARA Section 313:** This product may contain component(s), which if in exceedance of the de minimus threshold, may be subject to the reporting requirements of SARA Title III Section 313 Toxic Release Reporting (Form R).

| Name  | CERCLA/SARA 313 Emission reporting: |
|---|-------------------------------------|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts | None                                |
| Dinonyl diphenylamine   | None                                |
| Butene, homopolymer   | None                                |



|   |      |
|---|------|
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs. | None |
|---|------|

**State and Community Right-To-Know Regulations:**

The following component(s) of this material are identified on the regulatory lists below:

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isoocetyl) esters, zinc salts

- Louisiana Right-To-Know: Not Listed.
- California Proposition 65: Not Listed.
- New Jersey Right-To-Know: Not Listed.
- Pennsylvania Right-To-Know: Not Listed.
- Massachusetts Right-To Know: Not Listed.
- Florida Substance List: Not Listed.
- Rhode Island Right-To-Know: Not Listed.
- Michigan Critical Materials Register List: Not Listed.
- Massachusetts Extraordinarily Hazardous Substances: Not Listed.
- California - Regulated Carcinogens: Not Listed.
- Pennsylvania RTK - Special Hazardous Substances: Not Listed.
- New Jersey - Special Hazardous Substances: Not Listed.
- New Jersey - Environmental Hazardous Substances List: Not Listed.
- Illinois - Toxic Air Contaminants: Not Listed.
- New York - Reporting of Releases Part 597 - List of Hazardous Substances: Not Listed.

Dinonyl diphenylamine

- Louisiana Right-To-Know: Not Listed.
- California Proposition 65: Not Listed.
- New Jersey Right-To-Know: Not Listed.
- Pennsylvania Right-To-Know: Not Listed.
- Massachusetts Right-To Know: Not Listed.
- Florida Substance List: Not Listed.
- Rhode Island Right-To-Know: Not Listed.
- Michigan Critical Materials Register List: Not Listed.
- Massachusetts Extraordinarily Hazardous Substances: Not Listed.
- California - Regulated Carcinogens: Not Listed.
- Pennsylvania RTK - Special Hazardous Substances: Not Listed.
- New Jersey - Special Hazardous Substances: Not Listed.
- New Jersey - Environmental Hazardous Substances List: Not Listed.
- Illinois - Toxic Air Contaminants: Not Listed.
- New York - Reporting of Releases Part 597 - List of Hazardous Substances: Not Listed.

Butene, homopolymer

- Louisiana Right-To-Know: Not Listed.
- California Proposition 65: Not Listed.
- New Jersey Right-To-Know: Not Listed.
- Pennsylvania Right-To-Know: Not Listed.
- Massachusetts Right-To Know: Not Listed.
- Florida Substance List: Not Listed.
- Rhode Island Right-To-Know: Not Listed.
- Michigan Critical Materials Register List: Not Listed.
- Massachusetts Extraordinarily Hazardous Substances: Not Listed.
- California - Regulated Carcinogens: Not Listed.
- Pennsylvania RTK - Special Hazardous Substances: Not Listed.
- New Jersey - Special Hazardous Substances: Not Listed.
- New Jersey - Environmental Hazardous Substances List: Not Listed.
- Illinois - Toxic Air Contaminants: Not Listed.

|   |             |
|---|-------------|
| New York - Reporting of Releases Part 597 - List of Hazardous Substances:                   | Not Listed. |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs. |             |
| Louisiana Right-To-Know:  | Not Listed. |
| California Proposition 65:  | Not Listed. |
| New Jersey Right-To-Know:   | Not Listed. |
| Pennsylvania Right-To-Know:   | Not Listed. |
| Massachusetts Right-To Know:  | Not Listed. |
| Florida Substance List:   | Not Listed. |
| Rhode Island Right-To-Know:   | Not Listed. |
| Michigan Critical Materials Register List:  | Not Listed. |
| Massachusetts Extraordinarily Hazardous Substances:   | Not Listed. |
| California - Regulated Carcinogens:   | Not Listed. |
| Pennsylvania RTK - Special Hazardous Substances:  | Not Listed. |
| New Jersey - Special Hazardous Substances:  | Not Listed. |
| New Jersey - Environmental Hazardous Substances List:                                       | Not Listed. |
| Illinois - Toxic Air Contaminants   | Not Listed. |
| New York - Reporting of Releases Part 597 - List of Hazardous Substances:                   | Not Listed. |

**Canada DSL/NDSL Inventory:** This product and/or its components are listed either on the Domestic Substances List (DSL) or are exempt.

**Canadian Regulatory Information:** "This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the (M)SDS contains all the information required by the Controlled Products Regulations."

| Name  | Canada - WHMIS: Classifications of Substances:                  | Canada - WHMIS: Ingredient Disclosure: |
|---|---|--|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts | D2B   | 1%                                     |
| Butene, homopolymer   | Uncontrolled product according to WHMIS classification criteria |  |



**NOTE:** Not Applicable.

**16. OTHER INFORMATION**

**Prepared By:** Toxicology and Product Safety  
**Revision Date:** 01/24/2023

**Revision Note:**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is intended as guidance for safe handling, use, processing, storage, transportation, accidental release, clean-up and disposal and is not considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.